

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 45-48-00026  
Name of Facility: Emma Love Hardee Elementary  
Address: 2200 Susan Drive  
City, Zip: Fernandina Beach 32034

Type: School (9 months or less)  
Owner: Nassau County School Board  
Person In Charge: Aniko Beall Phone: (904) 491-9924  
PIC Email: beallan@nassau.k12.fl.us

**Inspection Information**

Purpose: Routine  
Inspection Date: 8/19/2024  
Correct By: Next Inspection  
**Re-Inspection Date: None**

Number of Risk Factors (Items 1-29): 0  
Number of Repeat Violations (1-57 R): 0  
Facility Grade: N/A  
Stop Sale: No

Begin Time: 10:55 AM  
End Time: 11:45 AM

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- NO** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- NO** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- NO** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- NA** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Good Retail Practices**

<b>SAFE FOOD AND WATER</b>	
<u>NO</u> 30. Pasteurized eggs used where required	<u>NA</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	<b>UTENSILS, EQUIPMENT AND VENDING</b>
<u>NA</u> 32. Variance obtained for special processing	<u>IN</u> 47. Food & non-food contact surfaces
<b>FOOD TEMPERATURE CONTROL</b>	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>NO</u> 34. Plant food properly cooked for hot holding	<b>PHYSICAL FACILITIES</b>
<u>NO</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>IN</u> 51. Plumbing installed; proper backflow devices
<b>FOOD IDENTIFICATION</b>	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
<b>PREVENTION OF FOOD CONTAMINATION</b>	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>IN</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>NO</u> 42. Washing fruits & vegetables	
<b>PROPER USE OF UTENSILS</b>	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>OUT</u> 45. Single-use/single-service articles: stored & used	

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

- Violation #45. Single-use/single-service articles: stored & used  
Single-service boats in the dry storage found to be stored right side up without the plastic covering it.  
CODE REFERENCE: 64E-11.003(4). Single-service/Single-use articles must be properly stored and protected to prevent possible contamination. Discard items after use.
- Violation #56. Ventilation & lighting  
One of the lights in the dry storage not fully clipped in. One light out in the dry storage. Lights clipped in corrected on site by food service facility manager.  
CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers.

**General Comments**

All temperatures in Fahrenheit. All handwashing stations equipped with hot water greater than 100 degrees. Bathroom handwashing stations takes a few minutes to get up to temperature - work order is placed, will confirm adjustment. Ceiling tiles missing from two areas in the kitchen - needs to be fixed as soon as possible. Poses a possible hazard for students and staff. Facilities has been notified. Work order has been placed for the electrical issues in the freezer and no response from the company. Lights need to be corrected prior to next inspection. Sanitizer @ 400ppm. Baked beans @ 156, Corn dogs @ 158. Pickles @ 35, ranch @ 38.

Email Address(es): beallan@nassau.k12.fl.us;  
kennedytr@nassau.k12.fl.us;  
rollinsbridgesst@nassau.k12.fl.us;  
greenka2@nassau.k12.fl.us

Inspector Signature:

Client Signature:

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



Inspection Conducted By: Taylor Gomez (28597)  
Inspector Contact Number: Work: (904) 557-9183 ex.  
Print Client Name:  
Date: 8/19/2024

Inspector Signature:

Handwritten signature of Taylor Gomez in black ink.

Client Signature:

Handwritten signature of Emma Love Hardee in black ink.